

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO.                           | FILING DATE     | FIRST NAMED INVENTOR        | ATTORNEY DOCKET NO.                 | CONFIRMATION NO. |
|---|-----------------|-----------------------------|-------------------------------------|------------------|
| 09/930,036                                | 08/15/2001      | Andre Latenstein Van Voorst | ndre Latenstein Van Voorst NL000446 |                  |
| 24737 73                                  | 590 03/11/2004  |                             | EXAMINER                            |                  |
| PHILIPS INTELLECTUAL PROPERTY & STANDARDS |                 |                             | OMETZ, DAVID LOUIS                  |                  |
| P.O. BOX 3001<br>BRIARCLIFF               | MANOR, NY 10510 | OR, NY 10510                |                                     | PAPER NUMBER     |
|   |                 |                             | 2653                                | 0                |
|   |                 |                             | DATE MAILED: 03/11/2004             | , K              |

Please find below and/or attached an Office communication concerning this application or proceeding.

|  | Application No.   | Applicant(s)   |  |  |  |  |
|--|---|--|--|--|--|--|
| Office Action Summary  | 09/930,036  | LATENSTEIN VAN VOORST,<br>ANDRE  |  |  |  |  |
| Office Action Summary  | Examiner  | Art Unit   |  |  |  |  |
| *  | David L. Ometz  | 2653   |  |  |  |  |
| The MAILING DATE of this communication apportunity  Period for Reply   | ears on the cover sheet with the c  | orrespondence address  |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | of (a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days till apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE                        | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). |  |  |  |  |
| Status   |   |  |  |  |  |  |
| 1) Responsive to communication(s) filed on   |   |  |  |  |  |  |
| · · · · · · · · · · · · · · · · · · ·  | action is non-final.  |  |  |  |  |  |
| 3) Since this application is in condition for allowan  | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. |  |  |  |  |  |
| Disposition of Claims  |   |  |  |  |  |  |
| 4) ☐ Claim(s) 1-7 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-7 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or  |   |  |  |  |  |  |
| Application Papers   |   |  |  |  |  |  |
| 9) ☐ The specification is objected to by the Examiner 10) ☑ The drawing(s) filed on 15 August 2001 is/are:  Applicant may not request that any objection to the or  Replacement drawing sheet(s) including the correction 11) ☐ The oath or declaration is objected to by the Examiner   | a)⊠ accepted or b)□ objected the drawing(s) be held in abeyance. See on is required if the drawing(s) is obj  | e 37 CFR 1.85(a).<br>sected to. See 37 CFR 1.121(d).   |  |  |  |  |
| Priority under 35 U.S.C. § 119   |   |  |  |  |  |  |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of  | s have been received.<br>s have been received in Applicati<br>ity documents have been receive<br>i (PCT Rule 17.2(a)).  | on No ed in this National Stage  |  |  |  |  |
| Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 4) Interview Summary Paper No(s)/Mail Da  |  |  |  |  |  |
| 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>5</u> .  | 6) Other:   | atent Application (FTO-192)  |  |  |  |  |

Art Unit: 2653

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 4 and 6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 4, line 2, "the measured mutual position" lacks antecedent basis, rendering the claim vague and indefinite.

In claim 6, line 4, "the three coils" lacks antecedent basis.

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2653

6. Claims 1, 3, 6 are rejected under 35 U.S.C. 102(b) as being anticipated by Andoh (US Pat 5289088).

As per claim 1, Andoh shows a scanning device in figures 1-3, 6 for scanning a discshaped information carrier (fig. 6), which scanning device is provided with a table 104 which can be rotated about an axis of rotation and on which an information carrier 103 can be placed, and with a scanning unit 102, and a linear motor by means of which the scanning unit can be displaced with respect to the table predominantly in a radial direction, which linear motor is provided with a first 2 and a second part 1 which are displaceably guided with respect to each other by means of a straight guide 6/9, the first part 2 being provided with pairs of magnets 12 having opposite directions of magnetization directed substantially perpendicularly to the guide. and the second part 1 being provided with an electric coil system 7 comprising winding portions extending substantially perpendicularly to the directions of magnetization and perpendicularly to the guide, and the linear motor being provided with a control unit 19-21 for controlling an electric current in the coil system 7, characterized in that, in operation, the control unit admits an electric current to at least one of said winding portions and controls said electric current, if said winding portion is situated in a magnetic transition field between two adjacent magnets having opposite directions of magnetization (see col. 6, lines 8-48).

As per claim 3, the scanning device as claimed in claim 1, characterized in that the linear motor comprises a sensor (hall sensors 8) for measuring a mutual position of the two parts of the linear motor in a direction parallel to the directions of magnetization, and in that the control unit comprises a control loop for adjusting a desired mutual position of the two parts by means of a

Art Unit: 2653

signal supplied by the sensor 8, which signal corresponds to a measured mutual position of the two parts.

As per claim 6, the scanning device as claimed in claim 3, characterized in that the sensor comprises three Hall sensors 8, which each measure the strength of a magnetic field originating from the magnets and present near, respectively, one of the three coils.

7. Claims 1-3 are rejected under 35 U.S.C. 102(b) as being anticipated by the anonymously disclosed Research Disclosure entitled "Three-phase Linear Motor" (hereinafter "Research Disclosure").

As per claim 1, the research disclosure shows a scanning device for scanning a discshaped information carrier, which scanning device is provided with a table which can be rotated
about an axis of rotation and on which an information carrier can be placed, and with a scanning
unit, and a linear motor by means of which the scanning unit can be displaced with respect to the
table predominantly in a radial direction, which linear motor is provided with a first 5 and a
second part 3 which are displaceably guided with respect to each other by means of a straight
guide 4, the first part 5 being provided with pairs of magnets 6 having opposite directions of
magnetization directed substantially perpendicularly to the guide, and the second part 3 being
provided with an electric coil system 7 comprising winding portions extending substantially
perpendicularly to the directions of magnetization and perpendicularly to the guide, and the
linear motor being provided with a control unit (inherent) for controlling an electric current in
the coil system, characterized in that, in operation, the control unit admits an electric current to at
least one of said winding portions and controls said electric current, if said winding portion is

Art Unit: 2653

situated in a magnetic transition field between two adjacent magnets having opposite directions of magnetization.

As per claim 2, the scanning device as claimed in claim 1, characterized in that the guide comprises a single round shaft 4 and at least one bushing (the portion on sledge 3 that directly surrounds the guide shaft 4) provided around said shaft 4.

As per claim 3, the scanning device as claimed in claim 1, characterized in that the linear motor comprises a sensor (Hall sensor) for measuring a mutual position of the two parts of the linear motor in a direction parallel to the directions of magnetization, and in that the control unit comprises a control loop for adjusting a desired mutual position of the two parts by means of a signal supplied by the sensor, which signal corresponds to a measured mutual position of the two parts.

8. Claims 1, 3, 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Yoshiura et al (US Pat 5587852).

As per claim 1, Yoshiura et al shows a scanning device in figures 1, 3, and 8 for scanning a disc-shaped information carrier 9, which scanning device is provided with a table which can be rotated about an axis of rotation and on which an information carrier can be placed, and with a scanning unit 3/4, and a linear motor by means of which the scanning unit can be displaced with respect to the table predominantly in a radial direction, which linear motor is provided with a first 11 and a second part 3 which are displaceably guided with respect to each other by means of a straight guide 5, the first part 11 being provided with pairs of magnets 60/61 (fig. 1) having opposite directions of magnetization directed substantially perpendicularly to the guide, and the

Art Unit: 2653

second part 3 being provided with an electric coil system 63/64 comprising winding portions extending substantially perpendicularly to the directions of magnetization and perpendicularly to the guide, and the linear motor being provided with a control unit 32-37 for controlling an electric current in the coil system, characterized in that, in operation, the control unit admits an electric current to at least one of said winding portions and controls said electric current, if said winding portion is situated in a magnetic transition field between two adjacent magnets having opposite directions of magnetization.

As per claim 3, the scanning device as claimed in claim 1, characterized in that the linear motor comprises a sensor 65/66 for measuring a mutual position of the two parts of the linear motor in a direction parallel to the directions of magnetization, and in that the control unit comprises a control loop for adjusting a desired mutual position of the two parts by means of a signal supplied by the sensor, which signal corresponds to a measured mutual position of the two parts.

As per claim 7, the scanning device as claimed in claim 1, characterized in that the first part of the linear motor is provided with two rows of permanent magnets 60/61 extending substantially parallel to the guide, the pitch between said permanent magnets being substantially constant, each pair of adjoining magnets of each row having opposite directions of magnetization, the two rows being arranged, viewed in a direction parallel to the directions of magnetization, at some distance from each other, and each pair of oppositely arranged magnets of the two rows having equal directions of magnetization, and said winding portions 63/64 of the coil system, viewed in a direction parallel to the magnetization direction, being situated between the two rows so as to be closer to one row than to the other row (see fig. 1).

Application/Control Number: 09/930,036 Page 7

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

Art Unit: 2653

9.

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the

manner in which the invention was made.

10. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over the Research

Disclosure. The research disclosure sets forth a scanning device that uses three coils overlapping

a series of alternating pole magnets in order to drive an optical head. As per claim 5, the

research disclosure additionally shows that the coil system comprises at least three electric coils,

which each include two parts having winding portions extending substantially perpendicularly to

the directions of magnetization and perpendicularly to the guide, a pitch "W" which substantially

corresponds to a pitch "P" between two adjacent magnets having opposite directions of

magnetization being present between the two parts of each coil. However, the research

disclosure does not disclose a pitch which is substantially equal to 2/3 or 4/3 times the pitch

between said two magnets being present between each pair of coils of said three coils. However,

the examiner takes Official Notice that the use of coils with a 2/3 or 4/3 overlapping pitch profile

for linear motors is old and well known in the art. Therefore, it would have been obvious to one

of ordinary skill in the art at the time the invention was made to use a 2/3 or 4/3 pitch profile for

the 3 overlapping coils in the research disclosure since doing this would ensure constant

overlapping coverage between the coils, thus effecting a continuous drive across the opposing

magnets.

Art Unit: 2653

Claim 4 would be allowable if rewritten to overcome the rejection(s) under 35U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations

of the base claim and any intervening claims.

12. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Takahashi shows an optical head driving device that uses a bushing 46 along with a

cylindrical guide rod.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to David L. Ometz whose telephone number is (703) 308-1296.

The examiner can normally be reached on M-W, 6:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, William Korzuch can be reached on (703) 305-6137. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David L. Ometz

Page 8

**Primary Examiner** 

Art Unit 2653

DLO 3/8/04